



SUTTER COUNTY

DEVELOPMENT SERVICES DEPARTMENT

Building Inspection
Code Enforcement

Engineering/Water Resources
Environmental Health

Planning
Road Maintenance

SIGN REQUIREMENTS FOR PUBLIC POOL FACILITIES





Sign requirements for public pool facilities can be found in Title 24 of the California Building Code. Additional signs not shown here are required for wave pools and facilities using gaseous chlorine.



All signs must have clearly legible letters or numbers not less than 4 inches (102 mm) high, unless otherwise required. (3120B.1)


Note: "Public pool" is defined as any public swimming pool, public bathhouse, public swimming place, and public bathing place that is or includes an artificial basin, chamber, or tank constructed or prefabricated with impermeable surfaces and such pools, bathhouses, and places are used or intended to be used for public swimming, diving, or recreational water activities. "Public Pool" does not include individual therapeutic tubs or baths where the main purpose is cleaning of the body.

The following signs are required:


SIGN	LOCATION	REQUIRED FOR:	EXAMPLE
<p><u>POOL CAPACITY</u> A sign must indicate the maximum number of pool users permitted for each pool. (3120B.2)</p> <p><u>Note:</u> -Capacity of a spa pool is based on one person for every 10 square feet of spa pool water surface area. -Capacity for all other pools is based on one person for every 20 square feet of pool water surface area.</p>	<p>Sign must be affixed to a wall, pole, gate, or similar permanent structure in a location visible to all pool users.</p>	<ul style="list-style-type: none"> • Pools • Spas 	

SIGN	LOCATION	REQUIRED FOR:	EXAMPLE
<p><u>NO DIVING</u> Pools with a maximum water depth of 6 feet or less must have signs stating, "NO DIVING." (3120B.3)</p>	<p>Signs must be posted in conspicuous places easily visible from all areas of pool enclosure.</p>	<ul style="list-style-type: none"> • Pools • Spas • Wading Pools 	
<p><u>KEEP CLOSED</u> A sign must be posted stating, "KEEP GATE CLOSED," or "KEEP DOOR CLOSED." (3120B.10)</p>	<p>Sign must be posted on the exterior side of gates and doors leading into the pool enclosure area.</p>	<ul style="list-style-type: none"> • Pools • Spas • Wading Pools 	
<p><u>NO LIFEGUARD ON DUTY</u> Where no lifeguard service is provided, a warning sign must be posted stating "NO LIFEGUARD ON DUTY." The sign also must state in letters at least 1-inch high, "Children under the age of 14 shall not use pool without a parent or adult guardian in attendance." (3120B.4)</p>	<p>Sign must be affixed to a wall, pole, gate or similar permanent structure in a location visible to all pool users.</p>	<ul style="list-style-type: none"> • Pools • Spas 	
<p><u>CPR</u> An illustrated diagram with text at least 1/4-inch high of artificial respiration and CPR procedures. (3120B.5)</p>	<p>Sign must be affixed to a wall, pole, gate, or similar permanent structure in a location visible to all pool users.</p>	<ul style="list-style-type: none"> • Pools • Spas • Spray Grounds • Wading Pools 	

SIGN	LOCATION	REQUIRED FOR:	EXAMPLE
<p>911 The emergency telephone number 911 with numbers not less than 4 inches, the number of the nearest emergency services (Fire Department) and the name and street address of the pool facility with numbers and text not less than 1 inch must be posted. (3120B.6)</p>	<p>Sign must be affixed to a wall, pole, gate or similar permanent structure in a location visible to all pool users.</p>	<ul style="list-style-type: none"> • Pools • Spas • Spray Grounds • Wading Pools 	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center;"><u>EMERGENCY Dial 911</u></p> <p>Nearest Emergency Services: Sac Metro 916-228-3000</p> <p>Facility Name: <u>ABC Apartments</u></p> <p>Facility Address: <u>123 Broadway</u></p> </div>
<p>DIARRHEA A sign in letters at least 1-inch high and in a language or diagram which clearly states that persons having currently active diarrhea or who have had active diarrhea within the previous 14 days shall not be allowed to enter the pool water. (3120B.11)</p>	<p>Sign must be posted at the entrance area of a public pool.</p>	<ul style="list-style-type: none"> • Pools • Spas • Spray Grounds • Wading Pools 	
<p>SPA WARNING A warning sign for spa pools must be posted stating, "CAUTION" and must include the following language in letters at least 1-inch high. (3120B.7):</p> <ol style="list-style-type: none"> 1. Elderly persons, pregnant women, infants and those with health conditions requiring medical care should consult with a physician before entering the spa. 2. Unsupervised use by children under the age of 14 is prohibited. 3. Hot water immersion while under the influence of alcohol, narcotics, drugs, or medicines may lead to serious consequences and is not recommended. 4. Do not use alone. Long exposure may result in hyperthermia, nausea, dizziness, or fainting. 	<p>Sign must be affixed to a wall, pole, gate, or similar permanent structure in a location visible to all spa users.</p>	<ul style="list-style-type: none"> • Spas 	

SIGN	LOCATION	REQUIRED FOR:	EXAMPLE
<p><u>EMERGENCY SHUT OFF</u> Sign in letters at least 1-inch (25mm) high and stating, "EMERGENCY SHUT OFF SWITCH." (3120B.8)</p>	<p>Sign must be posted at the spa emergency shut off switch.</p>	<ul style="list-style-type: none"> • Spas 	
<p><u>SPRAY GROUND WITH RECIRCULATED WATER</u> Spray ground with recirculated water must have a sign posted that states, "CAUTION: WATER IS RECIRCULATED. DO NOT DRINK." (3120B.13)</p>	<p>Sign must be posted at each spray ground and be visible from any part of the spray ground.</p>	<ul style="list-style-type: none"> • Spray Grounds 	

Additional signs may be required as follows:

<p><u>KEYED GATES</u> If pool enclosure has gates that require a key to exit, those gates and/or doors which will allow egress without a key must have a sign in letters at least 4 inches high stating EMERGENCY EXIT. (3119B.2 (3))</p> <p>Note: A pool enclosure must have at least one means of egress without a key for emergency purposes.</p>	<p>Sign must be posted on gates/doors where keyless egress is possible.</p>	
<p><u>NO LIGHTS</u> If pool was constructed without lighting or if lighting is inoperable, a sign must be posted stating, "NO USE OF POOL ALLOWED AFTER DARK." (3120B.9)</p>	<p>Sign must be posted at each pool entrance on the outside of the gate(s).</p>	